



EMBASSY OF GREECE IN OTTAWA

80 MacLaren Str. K2P0K6, Ottawa

Tel.: 6132386271

Email: grcon.otv@mfa.gr

November 22, 2024

File No. 085.1/AP897

To: a) **GOLPRO HOLDINGS INC.**

admin@golproholdings.com

"Invitation to tender for repairs of the exterior areas of the Embassy of Greece in Ottawa. "

- **EXTERIOR GAS METER BOLLARD INSTALL**
- **FABRICATION & INSTALLATION EXTERIOR RAILING**

The Embassy of Greece in Ottawa shall proceed to the signing of a contract for the repair of the exterior areas at its premises, and calls the aforementioned interested company to submit a relevant offer.

The said offer under evaluation should include:

Embassy of Greece – 80 MacLaren Street – Ottawa

Repairs of the exterior areas of the Embassy

EXTERIOR GAS METER BOLLARD INSTALL

- Supply and install two 4 inch Ductile iron steel bollards fill with concrete.
- Bollards are to set in in 36 inch of concrete at least 8 inches in diameter.
- Bollards are to be set at least 2 feet apart in front of gas meter.
- Bollards are to be set above ground to a minimum of 3 feet.
- Locate underground inspection will identify any underground conduit or wiring,
- such as Bell / Rogers / Hydro / Water...
- Inspection and confirmation letter from a licensed gas meter technician to be supplied,

FABRICATION & INSTALLATION EXTERIOR RAILING

- Fabrication and installation of one steel 14 foot (4.3 meters) railing, 3 feet (0.914 meters) in height.
- Railing diameter pipe is 1 ½ inches (38.1 millimeters)
- 4 inch (101.6 millimeters) diameter base plate installed
- by ¼ inch (6.35 millimeters) x 3 inch (76.2 millimeters) anchor bolts.
- All material powder coated black

The final offer will include also


- The price per unit, including taxes and VAT
- The corresponding VAT
- The duration of the offer

The award criterion shall be the lowest offer which should comply with the aforementioned terms of reference.

Tenders may be submitted in printed or electronic form to the Embassy Secretariat until **26 of November 2024**.

Interested parties must provide an IBAN bank account info.

Bids from companies other than those invited will not be considered.



The Ambassador

Ekaterini Dimakis
Ekaterini Dimakis

*According to Law No 4472/2016 (as amended and in force)